

50
YEARS
OF RELIABILITY




HAUOC
6"
150mm
RB6620

MORSE
THE M. K. MORSE COMPANY

NEW

HIGH PERFORMANCE
RECIPROCATING
SAW BLADES



M. K. Morse products are manufactured in Canton, Ohio, in one of the industry's most advanced production facilities. This facility has undergone a number of expansions over the years as we developed our unique integrated manufacturing approach that helps us ship most orders for standard stock products within 24 hours.

In addition to this plant, there are M. K. Morse warehouses in California, Canada, England, Finland and India. Our products are available to professional contractors through a worldwide network of professional contractor and industrial supply distributors. To find your nearest M. K. Morse distributor call 1-800-733-3377. Internationally call 001-330-453-8187.



RAPID RESPONSE
QUESTIONS? CALL FOR SOLUTIONS
800-733-3377 ▼ 330-453-8187



IT'S TIME FOR A



BLADE CHANGE



BI-METAL RECIPROCATING SAW BLADES from M. K. Morse will have a whole new look in 2014. Many of the blades have been engineered to improve performance. These performance enhancing changes have doubled the average life of our existing blades. In addition we have designed our packaging to be more user-friendly.

WOOD CUTTING

PAGE 2



Specifically designed for cutting all types of wood, wood composites, and nail-embedded wood.

WOOD/METAL CUTTING

PAGE 3



Best choice for applications involving a variety of materials ranging from wood and plastic, to ferrous and non-ferrous metals.

METAL CUTTING

PAGE 4



Best choice for applications cutting any machinable metal up to 1/4" in thickness.

METAL CUTTING

PAGE 6



"POWERS" through the toughest applications. Perfect for cutting any machinable metal as well as wood, wood composite, plastic, or rubber.

METAL CUTTING

PAGE 7



Lightning fast **PATENT PENDING** design excels in cutting small solids and structural shapes.

DEMOLITION CUTTING

PAGE 8



Specifically designed for rough-in cutting all types of wood, wood composites, and nail-embedded wood.

DEMOLITION CUTTING

PAGE 9



Ultimate heavy duty, demolition/remodeling blade. Cuts through wood and metals without leaving frayed or jagged edges needing additional finishing.

AUTOMOTIVE CUTTING

PAGE 10



Optimized for Automotive reclamation/recycling, as well as other automotive modifications requiring metal cutting.

AUTOMOTIVE CUTTING

PAGE 10



Designed for cutting tailpipe and muffler removal, as well as other automotive modifications requiring metal cutting.

FIRE + RESCUE CUTTING

PAGE 12



Preferred by professional firefighters. Specifically designed for automotive extrication.

PLASTER CUTTING

PAGE 13



Specifically designed for cutting drywall, plasterboard, and plaster with wood or metal lath.

SPECIALTY BLADES

AIR SAW BLADES	PAGE 11
U-SHANK	PAGE 13
PALLET DISMANTLING	PAGE 14
DIAMOND GRIT	PAGE 14
CARBIDE GRIT	PAGE 15
CARBIDE TIPPED	PAGE 16
JAB SAW & KITS/POUCHES	PAGE 17

2014

RECIP SAW BLADE PRODUCT LINE



MASTER COBALT® WOOD



The Morse Master Cobalt® **WOOD** reciprocating blade is specifically designed for cutting all types of wood, wood composites, and nail embedded wood.

FEATURES:	BENEFITS:
▼ Available in .035" (0.90mm) and .050" (1.30mm) thickness	▼ .035" (0.90mm) blades for flexibility in tight spaces ▼ .050" (1.30mm) blades for increased rigidity and heavier feed pressure
▼ Tapered blade body	▼ Best for plunge cutting
▼ Straight & variable tooth pitch	▼ Speed of cut ▼ Easier feed in wood
▼ Reinforced tooth design with compound relief	▼ High impact resistance
▼ Positive rake on .050 (1.30mm) x 6 TPI blades	▼ More aggressive cutting
▼ Bi-metal construction	▼ Long cutting life ▼ Heat and wear resistant

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
6	6"	3/4"	0.035	152	20	0.90	Same	RB63506T05	400190	5	Card
6	6"	3/4"	0.035	152	20	0.90	Same	RB63506T15	398404	15	Tube
6	6"	3/4"	0.035	152	20	0.90	Same	RB63506T25	398718	25	Tube
6	6"	3/4"	0.035	152	20	0.90	Same	RB63506T50	400183	50	Tube
6	6"	3/4"	0.050	152	20	1.30	Same	RB65006C2	397339	2	Card
6	6"	7/16"	0.050	152	11	1.30	Same	RB65006CT05	399517	5	Card
6	6"	7/16"	0.050	152	11	1.30	Same	RB65006CT50	399500	50	Tube
6	6"	3/4"	0.050	152	20	1.30	RBMC65005T05	RB65006T05	402040	5	Card
6	6"	7/16"	0.050	152	11	1.30	RBMC65005T25	RB65006T25	398732	25	Tube
6	6"	3/4"	0.050	152	20	1.30	Same	RB65006T50	402057	50	Tube
6	9"	3/4"	0.035	229	20	0.90	Same	RB93506T05	400176	5	Card
6	9"	3/4"	0.035	229	20	0.90	Same	RB93506T50	400169	50	Tube
6	9"	3/4"	0.050	229	20	1.30	Same	RB95006C2	397391	2	Card
6	9"	3/4"	0.050	229	20	1.30	RBMC95005T05	RB95006T05	402026	5	Card
6	9"	3/4"	0.050	229	20	1.30	RBMC95005T25	RB95006T25	398794	25	Tube
6	9"	3/4"	0.050	229	20	1.30	Same	RB95006T50	402033	50	Tube
6	12"	3/4"	0.035	305	20	0.90	Same	RB123506T05	400152	5	Card
6	12"	3/4"	0.035	305	20	0.90	Same	RB123506T50	400145	50	Tube
6	12"	3/4"	0.050	305	20	1.30	Same	RB125006C	402286	1	Card
6	12"	3/4"	0.050	305	20	1.30	RBMC125005T05	RB125006T05	402156	5	Card
6	12"	3/4"	0.050	305	20	1.30	RBMC125005T25	RB125006T25	398633	25	Tube
6	12"	3/4"	0.050	305	20	1.30	Same	RB125006T50	402149	50	Tube
2/3	12"	3/4"	0.050	305	20	1.30	Same	RB125023T05	401593	5	Card
2/3	12"	3/4"	0.050	305	20	1.30	Same	RB125023T50	401616	50	Tube
5/8	6"	3/4"	0.035	152	20	0.90	Same	RB658T50	398558	50	Tube
5/8	6"	3/4"	0.050	152	20	1.30	Same	RB65058T05	398510	5	Card
5/8	6"	3/4"	0.050	152	20	1.30	Same	RB65058T50	398503	50	Tube
5/8	12"	3/4"	0.050	305	20	1.30	Same	RB125058T50	398442	50	Tube



MASTER COBALT[®] HYBRID[™] WOOD METAL



The Morse Master Cobalt **HYBRID**[™] reciprocating saw blade is the best choice for applications that need a blade that cuts through a variety of materials ranging from wood and plastic, to ferrous and non-ferrous metals.

FEATURES:	BENEFITS:
▼ Available in .035" (0.90mm) and .050" (1.30mm) thickness	▼ .035" (0.90mm) blades for flexibility in tight spaces ▼ .050" (1.30mm) blades for rigidity and heavier feed pressure
▼ Straight blade body	▼ Greater beam strength
▼ Straight & variable tooth pitch	▼ Speed of cut ▼ Broad range of thickness applications
▼ Bi-metal construction	▼ Long cutting life ▼ Heat and wear resistant

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
10	6"	3/4"	0.035	152	20	0.90	RB610, RBMC610	RB610C2	397285	2	Card
10	6"	3/4"	0.035	152	20	0.90	RB610, RBMC610	RB610T05	400398	5	Card
10	6"	3/4"	0.035	152	20	0.90	RB610, RBMC610	RB610T25	398664	25	Tube
10	6"	3/4"	0.035	152	20	0.90	RB610, RBMC610	RB610T50	400381	50	Tube
10	8"	3/4"	0.035	203	20	0.90	RBMC810T05	RB810T05	400473	5	Card
10	8"	3/4"	0.035	203	20	0.90	RBMC810T25	RB810T25	398749	25	Tube
10	8"	3/4"	0.035	203	20	0.90	RBMC810T50	RB810T50	400466	50	Tube
10	9"	1"	0.050	229	25	1.30	RBMC95010T05	RB95010T05	404303	5	Card
10	9"	1"	0.050	229	25	1.30	RBMC95010T25	RB95010T25	404310	25	Tube
10	10"	3/4"	0.035	254	20	0.90	Same	RB1010T05	402576	5	Card
10	10"	3/4"	0.035	254	20	0.90	Same	RB1010T50	402569	50	Tube
10	12"	3/4"	0.035	305	20	0.90	Same	RB1210T05	400251	5	Card
10	12"	3/4"	0.035	305	20	0.90	Same	RB1210T50	400244	50	Tube
10	12"	1"	0.050	305	25	1.30	RBMC125010T05	RB125010T05	404242	5	Card
10	12"	1"	0.050	305	25	1.30	RBMC125010T25	RB125010T25	404259	25	Tube
8/12	8"	3/4"	0.050	203	20	1.30	Same	RB850812T05	400930	5	Card
8/12	8"	3/4"	0.050	203	20	1.30	Same	RB850812T50	400947	50	Tube
8/12	12"	3/4"	0.050	305	20	1.30	Same	RB1250812T05	400916	5	Card
8/12	12"	3/4"	0.050	305	20	1.30	Same	RB1250812T50	400923	50	Tube
10/14	4"	3/4"	0.035	102	20	0.90	Same	RB41014T05	402613	5	Card
10/14	4"	3/4"	0.035	102	20	0.90	Same	RB41014T50	402606	50	Tube
10/14	6"	3/4"	0.035	152	20	0.90	Same	RB61014T05	402002	5	Card
10/14	6"	3/4"	0.035	152	20	0.90	Same	RB61014T50	402019	50	Tube
10/14	6"	3/4"	0.050	152	20	1.30	Same	RB6501014C2	397360	2	Card
10/14	6"	3/4"	0.050	152	20	1.30	Same	RB6501014T05	399234	5	Card
10/14	6"	3/4"	0.050	152	20	1.30	Same	RB6501014T50	399227	50	Tube
10/14	6"	3/4"	0.050	152	20	1.30	Same	RB6501014TT05	398541	5	Card
10/14	6"	3/4"	0.050	152	20	1.30	Same	RB6501014TT50	398534	50	Tube
10/14	8"	3/4"	0.035	203	20	0.90	Same	RB81014C2	397407	2	Card

Continued ►



WOOD/METAL CUTTING

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
10/14	8"	3/4"	0.035	203	20	0.90	Same	RB81014T05	402118	5	Card
10/14	8"	3/4"	0.035	203	20	0.90	Same	RB81014T15	398411	15	Tube
10/14	8"	3/4"	0.035	203	20	0.90	Same	RB81014T25	398756	25	Tube
10/14	8"	3/4"	0.035	203	20	0.90	Same	RB81014T50	402101	50	Tube
10/14	8"	3/4"	0.050	203	20	1.30	Same	RB8501014C2	397384	2	Card
10/14	8"	3/4"	0.050	203	20	1.30	Same	RB8501014T05	402071	5	Card
10/14	8"	3/4"	0.050	203	20	1.30	Same	RB8501014T50	402064	50	Tube
10/14	12"	3/4"	0.035	305	20	0.90	Same	RB121014T05	400114	5	Card
10/14	12"	3/4"	0.035	305	20	0.90	Same	RB121014T50	400107	50	Tube
10/14	12"	3/4"	0.050	305	20	1.30	Same	RB12501014C	402248	1	Card
10/14	12"	3/4"	0.050	305	20	1.30	Same	RB12501014T05	402095	5	Card
10/14	12"	3/4"	0.050	305	20	1.30	Same	RB12501014T25	398640	25	Tube
10/14	12"	3/4"	0.050	305	20	1.30	Same	RB12501014T50	402088	50	Tube
10/14	12"	3/4"	0.050	305	20	1.30	Same	RB12501014STT05	398435	5	Card
10/14	12"	3/4"	0.050	305	20	1.30	Same	RB12501014STT50	398428	50	Tube

MORSE
THE M. K. MORSE COMPANY



MASTER COBALT[®] METAL

The Morse Master Cobalt[®] METAL reciprocating blade is the best choice for cutting any machinable metal up to 1/4" (6.4mm) in thickness.



FEATURES:

- ▼ Available in .035" (0.90mm), .042" (1.00mm) and .050" (1.30mm) thickness
- ▼ Blade widths 3/4" (20mm) and 1" (25mm)
- ▼ Straight tooth pitch
- ▼ Bi-metal construction

BENEFITS:

- ▼ .035" (0.90mm) blades for flexibility in tight spaces
- ▼ .050" (1.30mm) blades accept heavier feed pressure
- ▼ 3/4" (20mm) wide blades provide flexibility
- ▼ 1" (25mm) width blades provide rigidity and beam strength
- ▼ Smooth cutting action
- ▼ Long cutting life
- ▼ Heat and wear resistant

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
14	4"	3/4"	0.035	102	20	0.90	Same	RB414T05	400237	5	Card
14	4"	3/4"	0.035	102	20	0.90	Same	RB414T50	400220	50	Tube
14	6"	3/4"	0.035	152	20	0.90	RB614, RBMC614	RB614C2	397308	2	Card
14	6"	3/4"	0.035	152	20	0.90	RB614, RBMC614	RB614T05	400411	5	Card
14	6"	3/4"	0.035	152	20	0.90	RB614, RBMC614	RB614T15	398381	15	Tube
14	6"	3/4"	0.035	152	20	0.90	RB614, RBMC614	RB614T25	398671	25	Tube
14	6"	3/4"	0.035	152	20	0.90	RB614, RBMC614	RB614T50	400404	50	Tube
14	6"	1"	0.042	152	25	1.00	RBMC64214T05	RB64214T05	404181	5	Card
14	6"	1"	0.042	152	25	1.00	RBMC64214T25	RB64214T25	404198	25	Tube
14	6"	3/4"	0.050	152	20	1.30	Same	RB65014T05	399623	5	Card
14	6"	3/4"	0.050	152	20	1.30	Same	RB65014T50	399616	50	Tube
14	8"	3/4"	0.035	203	20	0.90	RB814, RBMC814	RB814C2	397377	2	Card
14	8"	3/4"	0.035	203	20	0.90	RB814, RBMC814	RB814T05	400497	5	Card
14	8"	3/4"	0.035	203	20	0.90	RB814, RBMC814	RB814T25	397763	25	Tube
14	8"	3/4"	0.035	203	20	0.90	RB814, RBMC814	RB814T50	400480	50	Tube



METAL CUTTING

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
14	9"	3/4"	0.035	229	20	0.90	Same	RB914T05	400985	5	Card
14	9"	3/4"	0.035	229	20	0.90	Same	RB914T50	400992	50	Tube
14	9"	1"	0.042	229	25	1.00	RBMC94214T05	RB94214T05	403900	5	Card
14	9"	1"	0.042	229	25	1.00	RBMC94214T25	RB94214T25	403917	25	Tube
14	9"	1"	0.050	229	25	1.30	RBMC95014T05	RB95014T05	404327	5	Card
14	9"	1"	0.050	229	25	1.30	RBMC95014T25	RB95014T25	404334	25	Tube
14	12"	3/4"	0.035	305	20	0.90	Same	RB1214T05	400138	5	Card
14	12"	3/4"	0.035	305	20	0.90	Same	RB1214T50	400121	50	Tube
14	12"	1"	0.042	305	25	1.00	RBMC124214T05	RB124214T05	403962	5	Card
14	12"	1"	0.042	305	25	1.00	RBMC124214T25	RB124214T25	403979	25	Tube
14	12"	1"	0.050	305	25	1.30	RBMC125014T05	RB125014T05	404266	5	Card
14	12"	1"	0.050	305	25	1.30	RBMC125014T25	RB125014T25	404273	25	Tube
18	3"	5/16"	0.035	76	6	0.90	Same	RB318ST05	401999	5	Card
18	3"	5/16"	0.035	76	6	0.90	Same	RB318ST50	401982	50	Tube
18	4"	3/4"	0.035	102	20	0.90	Same	RB418C2	397247	2	Card
18	4"	3/4"	0.035	102	20	0.90	Same	RB418T05	400275	5	Card
18	4"	3/4"	0.035	102	20	0.90	Same	RB418T50	400268	50	Tube
18	6"	3/4"	0.035	152	20	0.90	RB618, RBMC618	RB618C2	397315	2	Card
18	6"	3/4"	0.035	152	20	0.90	RB618, RBMC618	RB618T05	400435	5	Tube
18	6"	3/4"	0.035	152	20	0.90	RB618, RBMC618	RB618T15	398398	15	Tube
18	6"	3/4"	0.035	152	20	0.90	RB618, RBMC618	RB618T25	398688	25	Tube
18	6"	3/4"	0.035	152	20	0.90	RB618, RBMC618	RB618T50	400428	50	Tube
18	6"	1"	0.042	152	25	1.00	RBMC64218T05	RB64218T05	404204	5	Card
18	6"	1"	0.042	152	25	1.00	RBMC64218T25	RB64218T25	404211	25	Tube
18	6"	3/4"	0.050	152	20	1.30	Same	RB65018T05	399647	5	Card
18	6"	3/4"	0.050	152	20	1.30	Same	RB65018T50	399630	50	Tube
18	8"	3/4"	0.035	203	20	0.90	RB818, RBMC818	RB818T05	402590	5	Card
18	8"	3/4"	0.035	203	20	0.90	RB818, RBMC818	RB818T25	398770	25	Tube
18	8"	3/4"	0.035	203	20	0.90	RB818, RBMC818	RB818T50	402583	50	Tube
18	9"	3/4"	0.035	229	20	0.90	Same	RB918T05	401005	5	Card
18	9"	3/4"	0.035	229	20	0.90	Same	RB918T50	401012	25	Tube
18	9"	1"	0.042	229	25	1.00	RBMC94218T05	RB94218T05	403924	5	Card
18	9"	1"	0.042	229	25	1.00	RBMC94218T25	RB94218T25	403931	25	Tube
18	9"	1"	0.050	229	25	1.30	RBMC95018T05	RB95018T05	404341	5	Card
18	9"	1"	0.050	229	25	1.30	RBMC95018T25	RB95018T25	404358	25	Tube
18	10"	3/4"	0.035	254	20	0.90	Same	RB1018T05	398497	5	Card
18	10"	3/4"	0.035	254	20	0.90	Same	RB1018T50	398480	50	Tube
18	12"	3/4"	0.035	305	20	0.90	RB1218, RBMC1218	RB1218T05	400213	5	Card
18	12"	3/4"	0.035	305	20	0.90	RB1218, RBMC1218	RB1218T25	398619	25	Tube
18	12"	3/4"	0.035	305	20	0.90	RB1218, RBMC1218	RB1218T50	400206	50	Tube
18	12"	1"	0.042	305	25	1.00	RBMC124218T05	RB124218T05	403986	5	Card
18	12"	1"	0.042	305	25	1.00	RBMC124218T25	RB124218T25	403993	25	Tube
18	12"	1"	0.050	305	25	1.30	RBMC125018T05	RB125018T05	404280	5	Card
18	12"	1"	0.050	305	25	1.30	RBMC125018T25	RB125018T25	404297	25	Tube
24	4"	3/4"	0.035	102	20	0.90	Same	RB424T05	400312	5	Card
24	4"	3/4"	0.035	102	20	0.90	Same	RB424T50	400305	50	Tube
24	6"	3/4"	0.035	152	20	0.90	RB624, RBMC624	RB624C2	397322	2	Card
24	6"	3/4"	0.035	152	20	0.90	RB624, RBMC624	RB624T05	400459	5	Card
24	6"	3/4"	0.035	152	20	0.90	RB624, RBMC624	RB624T25	398701	25	Tube
24	6"	3/4"	0.035	152	20	0.90	RB624, RBMC624	RB624T50	400442	50	Tube
24	6"	1"	0.042	152	25	1.00	RBMC64224T05	RB64224T05	404228	5	Card
24	6"	1"	0.042	152	25	1.00	RBMC64224T25	RB64224T25	404235	25	Tube



The Morse Advanced Edge **POWER** reciprocating saw blade "powers" through the toughest applications. This heavy duty blade is perfect for cutting any machinable metal as well as wood, wood composite, plastic, or rubber.



FEATURES:	BENEFITS:
▼ Available in 1" (25mm) width and .042" (1.00mm) thickness	▼ 1" (25mm) wide blades provide more rigidity and beam strength
▼ Straight tooth pitch	▼ .042" (1.00mm) blades accept heavier feed pressure
▼ Bi-metal construction	▼ Smooth cutting action
	▼ Long cutting life
	▼ Heat and wear resistant

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
10	6"	1"	0.042	152	25	1.00	NEW	RBWP64210T05	392006	5	Card
10	6"	1"	0.042	152	25	1.00	NEW	RBWP64210T25	392013	25	Tube
10	9"	1"	0.042	152	25	1.00	NEW	RBWP94210T05	392068	5	Card
10	9"	1"	0.042	152	25	1.00	NEW	RBWP94210T25	392075	25	Tube
10	12"	1"	0.042	203	25	1.00	NEW	RBWP124210T05	392129	5	Card
10	12"	1"	0.042	229	25	1.00	NEW	RBWP124210T25	392136	25	Tube
14	6"	1"	0.042	229	25	1.00	NEW	RBWP64214T05	392020	5	Card
14	6"	1"	0.042	254	25	1.00	NEW	RBWP64214T25	392037	25	Tube
14	9"	1"	0.042	254	25	1.00	NEW	RBWP94214T05	392082	5	Card
14	9"	1"	0.042	305	25	1.00	NEW	RBWP94214T25	392099	25	Tube
14	12"	1"	0.042	305	25	1.00	NEW	RBWP124214T05	392143	5	Card
14	12"	1"	0.042	305	25	1.00	NEW	RBWP124214T25	392150	25	Tube
18	6"	1"	0.042	305	25	1.00	NEW	RBWP64218T05	392044	5	Card
18	6"	1"	0.042	203	25	1.00	NEW	RBWP64218T25	392051	25	Tube
18	9"	1"	0.042	203	25	1.00	NEW	RBWP94218T05	392105	5	Card
18	9"	1"	0.042	305	25	1.00	NEW	RBWP94218T25	392112	25	Tube
18	12"	1"	0.042	305	25	1.00	NEW	RBWP124218T05	392167	5	Card
18	12"	1"	0.042	102	25	1.00	NEW	RBWP124218T25	392174	25	Tube



The Morse Advanced Edge **BOLT** reciprocating saw blade cuts lightning fast. The patent pending design excels in applications of small solids and structural shapes.



FEATURES:	BENEFITS:
▼ Available in 3/4" (20mm) width and .035" (0.90mm) & .050" (1.30mm) thickness	▼ .035" (0.90mm) blades for flexibility in tight spaces ▼ .050" (1.30mm) blades accept heavier feed pressure
▼ Variable tooth pitches	▼ Smooth cutting action
▼ Reinforced, positive rake tooth design	▼ Fast cutting ▼ Impact resistant tooth
▼ Bi-metal construction	▼ Long cutting life ▼ Heat and wear resistant



METAL CUTTING

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
8/11	6"	3/4"	0.035	152	20	0.90	NEW	RBAE6811T05	393003	5	Card
8/11	6"	3/4"	0.035	152	20	0.90	NEW	RBAE6811T50	393010	50	Tube
8/11	6"	3/4"	0.050	152	20	1.30	NEW	RBAE650811T05	393188	5	Card
8/11	6"	3/4"	0.050	152	20	1.30	NEW	RBAE650811T50	393195	50	Tube
8/11	9"	3/4"	0.035	229	20	0.90	NEW	RBAE9811T05	393065	5	Card
8/11	9"	3/4"	0.035	229	20	0.90	NEW	RBAE9811T50	393072	50	Tube
8/11	9"	3/4"	0.050	229	20	1.30	NEW	RBAE950811T05	393249	5	Card
8/11	9"	3/4"	0.050	229	20	1.30	NEW	RBAE950811T50	393256	50	Tube
8/11	12"	3/4"	0.035	305	20	0.90	NEW	RBAE12811T05	393126	5	Card
8/11	12"	3/4"	0.035	305	20	0.90	NEW	RBAE12811T50	393133	50	Tube
8/11	12"	3/4"	0.050	305	20	1.30	NEW	RBAE1250811T05	393300	5	Card
8/11	12"	3/4"	0.050	305	20	1.30	NEW	RBAE1250811T50	393317	50	Tube
11/15	6"	3/4"	0.035	152	20	0.90	NEW	RBAE61115T05	393027	5	Card
11/15	6"	3/4"	0.035	152	20	0.90	NEW	RBAE61115T50	393934	50	Tube
11/15	6"	3/4"	0.050	152	20	1.30	NEW	RBAE6501115T05	393201	5	Card
11/15	6"	3/4"	0.050	152	20	1.30	NEW	RBAE6501115T50	393218	50	Tube
11/15	9"	3/4"	0.035	229	20	0.90	NEW	RBAE91115T05	393089	5	Card
11/15	9"	3/4"	0.035	229	20	0.90	NEW	RBAE91115T50	393096	50	Tube
11/15	9"	3/4"	0.050	229	20	1.30	NEW	RBAE9501115T05	393263	5	Card
11/15	9"	3/4"	0.050	229	20	1.30	NEW	RBAE9501115T50	393270	50	Tube
11/15	12"	3/4"	0.035	305	20	0.90	NEW	RBAE121115T05	393140	5	Card
11/15	12"	3/4"	0.035	305	20	0.90	NEW	RBAE121115T50	393157	50	Tube
11/15	12"	3/4"	0.050	305	20	1.30	NEW	RBAE12501115T05	393324	5	Card
11/15	12"	3/4"	0.050	305	20	1.30	NEW	RBAE12501115T50	393331	50	Tube
15/21	6"	3/4"	0.035	152	20	0.90	NEW	RBAE61521T05	393041	5	Card
15/21	6"	3/4"	0.035	152	20	0.90	NEW	RBAE61521T50	393058	50	Tube
15/21	6"	3/4"	0.050	152	20	1.30	NEW	RBAE6501521T05	393225	5	Card
15/21	6"	3/4"	0.050	152	20	1.30	NEW	RBAE6501521T50	393232	50	Tube

Continued ►



▼ Continued – Advanced Edge BOLT

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
15/21	9"	3/4"	0.035	229	20	0.90	NEW	RBAE91521T05	393102	5	Card
15/21	9"	3/4"	0.035	229	20	0.90	NEW	RBAE91521T50	393119	50	Tube
15/21	9"	3/4"	0.050	229	20	1.30	NEW	RBAE9501521T05	393287	5	Card
15/21	9"	3/4"	0.050	229	20	1.30	NEW	RBAE9501521T50	393294	50	Tube
15/21	12"	3/4"	0.035	305	20	0.90	NEW	RBAE121521T05	393164	5	Card
15/21	12"	3/4"	0.035	305	20	0.90	NEW	RBAE121521T50	393171	50	Tube
15/21	12"	3/4"	0.050	305	20	1.30	NEW	RBAE12501521T05	393348	5	Card
15/21	12"	3/4"	0.050	305	20	1.30	NEW	RBAE12501521T50	393355	50	Tube



The Morse **HAVOC** Demolition (formerly the McRipper) reciprocating saw blade is specifically designed for "rough-in" applications on the construction site. This blade will cut through all types of wood, wood composites, metal, and nail embedded wood.



FEATURES:	BENEFITS:
▼ Available in .062 (1.60mm) thickness	▼ Provides minimum deflection for more stable cutting in wider cuts
▼ Available in 7/8" (22mm) blade width	▼ 7/8" (22mm) wide blades for increased rigidity and heavier feed pressure
▼ Tapered blade body	▼ Best for plunge cutting
▼ Straight tooth pitch	▼ Fast cutting
▼ Reinforced, positive rake 6 TPI tooth design	▼ High impact resistance ▼ More aggressive cutting
▼ Bi-metal construction	▼ Long cutting life ▼ Heat and wear resistant

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
6	6"	7/8"	0.062	152	22	1.60	Same	RB66206T03	398350	3	Card
6	6"	7/8"	0.062	152	22	1.60	Same	RB66206T20	398343	20	Tube
6	9"	7/8"	0.062	229	22	1.60	Same	RB96206C	397186	1	Card
6	9"	7/8"	0.062	229	22	1.60	Same	RB96206T03	402422	3	Card
6	9"	7/8"	0.062	229	22	1.60	Same	RB96206T20	402415	20	Tube
6	12"	7/8"	0.062	305	22	1.60	Same	RB126206C	397209	1	Card
6	12"	7/8"	0.062	305	22	1.60	Same	RB126206T03	398312	3	Card
6	12"	7/8"	0.062	305	22	1.60	Same	RB126206T20	398305	20	Tube
10	6"	7/8"	0.062	152	22	1.60	Same	RB66210T03	398374	3	Card
10	6"	7/8"	0.062	152	22	1.60	Same	RB66210T20	398367	20	Tube
10	9"	7/8"	0.062	229	22	1.60	Same	RB96210T03	402446	3	Card
10	9"	7/8"	0.062	229	22	1.60	Same	RB96210T20	402439	20	Tube
10	12"	7/8"	0.062	305	22	1.60	Same	RB126210T03	398336	3	Card
10	12"	7/8"	0.062	305	22	1.60	Same	RB126210T20	398329	20	Tube

MORSE RENOVATOR™



The Morse **RENOVATOR** reciprocating saw blade is the ultimate heavy duty, demolition/remodeling blade in the market. This blade cuts through wood and metals without leaving frayed or jagged cut edges, no need for additional finishing.



FEATURES:	BENEFITS:
▼ Available in .062" (1.60mm) thickness	▼ Provides rigidity for more stable cutting in wider cuts
▼ Available in 1" (25mm) blade width	▼ 1" (25mm) wide blades offer more beam strength
▼ Tapered blade body	▼ Best for plunge cutting
▼ Variable tooth pitch	▼ Fast cutting ▼ Smooth cut finish
▼ Reinforced tooth design	▼ High impact resistant tooth
▼ Bi-metal construction	▼ Long cutting life ▼ Heat and wear resistant

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
8/11	6"	1"	0.062	152	25	1.60	NEW	RBR662811T03	392518	3	Card
8/11	6"	1"	0.062	152	25	1.60	NEW	RBR662811T20	392525	20	Tube
8/11	9"	1"	0.062	229	25	1.60	NEW	RBR962811T03	392532	3	Card
8/11	9"	1"	0.062	229	25	1.60	NEW	RBR962811T20	392549	20	Tube
8/11	12"	1"	0.062	305	25	1.60	NEW	RBR1262811T03	392556	3	Card
8/11	12"	1"	0.062	305	25	1.60	NEW	RBR1262811T20	392563	20	Tube



DEMOLITION

MORSE[®] AUTO SALVAGE[™]



The Morse **SALVAGE** reciprocating blade is targeted for any automotive reclamation/recycling, but can also be used for other automotive modifications requiring metal cutting.




FEATURES:	BENEFITS:
▼ Available in .035" (0.90mm) thickness	▼ .035" (0.90mm) blades for flexibility in tight spaces
▼ Available in 3/4" (20mm) blade width	▼ Cut between body panels, gets under stripped/rusted fasteners
▼ Fine, straight & variable tooth pitch	▼ 3/4" (20mm) wide blades provide flexibility
▼ Bi-metal construction	▼ Allows for cutting in hard to reach places that a cutting torch would otherwise create more damage.
	▼ Smooth cutting action
	▼ Long cutting life
	▼ Heat and wear resistant

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
14	6"	3/4"	0.035	152	20	0.90	NEW	RBSA614T05	395519	5	Card
14	6"	3/4"	0.035	152	20	0.90	NEW	RBSA614T50	395526	50	Tube
14	8"	3/4"	0.035	203	20	0.90	NEW	RBSA814T05	395557	5	Card
14	8"	3/4"	0.035	203	20	0.90	NEW	RBSA814T50	395564	50	Tube
14	12"	3/4"	0.035	305	20	0.90	NEW	RBSA1214T05	395595	5	Card
14	12"	3/4"	0.035	305	20	0.90	NEW	RBSA1214T50	395601	50	Tube
18	6"	3/4"	0.035	152	20	0.90	NEW	RBSA618T05	395533	5	Card
18	6"	3/4"	0.035	152	20	0.90	NEW	RBSA618T50	395540	50	Tube
18	8"	3/4"	0.035	203	20	0.90	NEW	RBSA818T05	395571	5	Card
18	8"	3/4"	0.035	203	20	0.90	NEW	RBSA818T50	395588	50	Tube
18	12"	3/4"	0.035	305	20	0.90	NEW	RBSA1218T05	395618	5	Card
18	12"	3/4"	0.035	305	20	0.90	NEW	RBSA1218T50	395625	50	Tube
10/14	12"	3/4"	0.035	305	20	0.90	NEW	RBSA121014T05	395632	5	Card
10/14	12"	3/4"	0.035	305	20	0.90	NEW	RBSA121014T50	395649	50	Tube

MORSE[®] PIPE BOSS[™]



The Morse **PIPE BOSS** reciprocating saw blade is specifically targeted for cutting tailpipe and muffler removal, but can also be used for other automotive modifications where metal cutting is necessary.



FEATURES:	BENEFITS:
▼ Available in .050" (1.30mm) thickness	▼ .050" (1.30mm) blades will accept heavier feed pressure
▼ Available in 1" (25mm) blade width	▼ 1" (25mm) width blades provide more rigidity and beam strength
▼ Fine, straight tooth pitch	▼ Smooth cutting action
▼ Bi-metal construction	▼ Long cutting life
	▼ Heat and wear resistant

Continued ►

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
14	6"	1"	0.050	152	25	1.30	NEW	RBPB65014T05	395014	5	Card
14	6"	1"	0.050	152	25	1.30	NEW	RBPB65014T25	395021	25	Tube
14	9"	1"	0.050	229	25	1.30	NEW	RBPB95014T05	395038	5	Card
14	9"	1"	0.050	229	25	1.30	NEW	RBPB95014T25	395045	25	Tube
14	12"	1"	0.050	305	25	1.30	NEW	RBPB125014T05	395052	5	Card
14	12"	1"	0.050	305	25	1.30	NEW	RBPB125014T25	395069	25	Tube

MORSE® Air Saw Blades

THE M. K. MORSE COMPANY

MADE IN U.S.A. 

The Morse AIR SAW reciprocating saw blade is specifically designed for use in pneumatic saws for thin sheet metal applications. Primarily used for automotive body modification and sheet metal fabrication.



FEATURES:	BENEFITS:
▼ Available in .025" (0.60mm) and .035" (0.90mm) thickness	▼ Cut between body panels and under stripped/rusted fasteners
▼ Blade widths of 1/2" (12.7mm)	▼ 1/2" (12.7mm) wide blades provide flexibility for radius cuts
▼ Fine, straight tooth pitch	▼ Smooth cutting action
▼ Bi-metal construction	▼ Long cutting life ▼ Heat and wear resistant

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
14	3"	1/2"	0.025	76	12.7	0.60	Same	RBA314T05	398220	5	Card
14	3"	1/2"	0.025	76	12.7	0.60	Same	RBA314T25	398572	25	Tube
14	3"	1/2"	0.035	76	12.7	0.90	Same	RBA33514T05	396806	5	Card
14	3"	1/2"	0.035	76	12.7	0.90	Same	RBA33514T25	396882	25	Tube
14	4"	1/2"	0.025	102	12.7	0.60	Same	RBA414T05	397506	5	Card
14	4"	1/2"	0.025	102	12.7	0.60	Same	RBA414T25	397513	25	Tube
14	4"	1/2"	0.035	102	12.7	0.90	Same	RBA43514T05	396844	5	Card
14	4"	1/2"	0.035	102	12.7	0.90	Same	RBA43514T25	396929	25	Tube
18	3"	1/2"	0.025	76	12.7	0.60	Same	RBA318T05	398244	5	Card
18	3"	1/2"	0.025	76	12.7	0.60	Same	RBA318T25	398589	25	Tube
18	3"	1/2"	0.035	76	12.7	0.90	Same	RBA33518T05	396813	5	Card
18	3"	1/2"	0.035	76	12.7	0.90	Same	RBA33518T25	396899	25	Tube
18	4"	1/2"	0.025	102	12.7	0.60	Same	RBA418T05	397520	5	Card
18	4"	1/2"	0.025	102	12.7	0.60	Same	RBA418T25	397537	25	Tube
18	4"	1/2"	0.035	102	12.7	0.90	Same	RBA43518T05	396851	5	Card
18	4"	1/2"	0.035	102	12.7	0.90	Same	RBA43518T25	396936	25	Tube
24	3"	1/2"	0.025	76	12.7	0.60	Same	RBA324T05	398268	5	Card
24	3"	1/2"	0.025	76	12.7	0.60	Same	RBA324T25	398596	25	Tube
24	3"	1/2"	0.035	76	12.7	0.90	Same	RBA33524T05	396820	5	Card
24	3"	1/2"	0.035	76	12.7	0.90	Same	RBA33524T25	396905	25	Tube
24	4"	1/2"	0.025	102	12.7	0.60	Same	RBA424T05	397544	5	Card
24	4"	1/2"	0.025	102	12.7	0.60	Same	RBA424T25	397551	25	Tube
24	4"	1/2"	0.035	102	12.7	0.90	Same	RBA43524T05	396943	5	Card
24	4"	1/2"	0.035	102	12.7	0.90	Same	RBA43524T25	396968	25	Tube



AUTOMOTIVE



▼ Continued – Morse AIR SAW

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
32	3"	1/2"	0.025	76	12.7	0.60	Same	RBA332T05	398282	5	Card
32	3"	1/2"	0.025	76	12.7	0.60	Same	RBA332T25	398602	25	Tube
32	3"	1/2"	0.035	76	12.7	0.90	Same	RBA33532T05	396837	5	Card
32	3"	1/2"	0.035	76	12.7	0.90	Same	RBA33532T25	396912	25	Tube
32	4"	1/2"	0.025	102	12.7	0.60	Same	RBA432T05	397568	5	Card
32	4"	1/2"	0.025	102	12.7	0.60	Same	RBA432T25	397575	25	Tube
32	4"	1/2"	0.035	102	12.7	0.90	Same	RBA43532T05	396875	5	Card
32	4"	1/2"	0.035	102	12.7	0.90	Same	RBA43532T25	396950	25	Tube



The Morse **FIRE + RESCUE** reciprocating saw blade is preferred by professional firefighters who rely on quality and consistency. This blade is specifically designed for automotive extrication.

FEATURES:	BENEFITS:
▼ Available in .062" (1.60mm) thickness	▼ Provides minimum deflection for more stable cutting in wider cuts
▼ Available in 7/8" (22mm) blade width	▼ 7/8" (22mm) wide blades for increased rigidity and heavier feed pressures
▼ Straight tooth pitch	▼ Quick and more efficient cutting in multiple wall applications
▼ Optimized set pattern	▼ Reduces vibration and operator fatigue ▼ Reduces chance for blade binding in cut
▼ Bi-metal construction	▼ Long cutting life ▼ Heat and wear resistant

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
10	6"	7/8"	0.062	152	22	1.60	Same	RBFR66210WT03	403665	3	Card
10	6"	7/8"	0.062	152	22	1.60	Same	RBFR66210WT20	403511	20	Tube
10	9"	7/8"	0.062	229	22	1.60	Same	RBFR96210WT03	403689	3	Card
10	9"	7/8"	0.062	229	22	1.60	Same	RBFR96210WT20	403528	20	Tube
10	12"	7/8"	0.062	305	22	1.60	Same	RBFR126210WT03	403702	3	Card
10	12"	7/8"	0.062	305	22	1.60	Same	RBFR126210WT20	403504	20	Tube
14	6"	7/8"	0.062	152	22	1.60	Same	RBFR66214WC	397117	1	Card
14	6"	7/8"	0.062	229	22	1.60	Same	RBFR66214WT03	403672	3	Card
14	6"	7/8"	0.062	152	22	1.60	Same	RBFR66214WT20	395540	20	Tube
14	9"	7/8"	0.062	229	22	1.60	Same	RBFR96214WC	397131	1	Card
14	9"	7/8"	0.062	229	22	1.60	Same	RBFR96214WT03	403696	3	Card
14	9"	7/8"	0.062	229	22	1.60	Same	RBFR96214WT20	403559	20	Tube
14	12"	7/8"	0.062	305	22	1.60	Same	RBFR126214WC	397155	1	Card
14	12"	7/8"	0.062	305	22	1.60	Same	RBFR126214WT03	403719	3	Card
14	12"	7/8"	0.062	305	22	1.60	Same	RBFR126214WT20	403535	20	Tube

MORSE PLASTER

MADE IN U.S.A.

PLASTER / LATH & DRYWALL CUTTING



The Morse **PLASTER** reciprocating saw blade is specifically designed for cutting drywall, plasterboard, and plaster with wood or metal lath. With a "V" style tooth, cut edge fraying/chipping is significantly reduced, requiring less finishing.



FEATURES:	BENEFITS:
▼ Available in .050" (1.30mm) thickness	▼ .050" (1.30mm) blades for increased rigidity and heavier feed pressures
▼ Blade width of 3/4" (20mm)	▼ 3/4" (20mm) wide blades provide flexibility
▼ Special "V" tooth design	▼ Smooth cutting action
▼ Bi-metal construction	▼ Long cutting life ▼ Heat and wear resistant

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
6	6"	3/4"	0.050	152	20	1.30	RB606PT05	RB65006PT05	400350	5	Card
6	6"	3/4"	0.050	152	20	1.30	RB606PT50	RB65006PT50	400343	50	Tube

MORSE U-Shank Blades

MADE IN U.S.A.

THE M. K. MORSE COMPANY



The Morse **U-SHANK** reciprocating saw blade is designed for cutting pipes and metal sections. Fits pipe clamp recip saws from manufacturers like REMS, Roller's, Ridgid, Pace and Flex.



FEATURES:	BENEFITS:
▼ Available in .035" (0.90mm), .050" (1.30mm) and .062" (1.60mm) thickness	▼ .035" (0.90mm) blades for flexibility in tight spaces ▼ .050" (1.30mm) and .062" (1.60mm) blades for straighter cuts
▼ Blade width 1" (25mm)	▼ 1" (25mm) wide blades provide more rigidity and beam strength
▼ Coarse and fine tooth pitches	▼ Coarse/Plastic Fine/Metal
▼ Bi-metal construction	▼ Long cutting life ▼ Heat and wear resistant

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
6	12"	1"	0.050	305	25	1.30	Same	RBUI206T05	403641	5	Tube
8	5.5"	1"	0.062	140	25	1.60	Same	RBUI508T05	400015	5	Tube
8	8"	1"	0.062	203	25	1.60	Same	RBUI808T05	400053	5	Tube
8	10.5"	1"	0.062	254	25	1.60	Same	RBUI0508T05	399975	5	Tube
8	12"	1"	0.062	305	25	1.60	Same	RBUI208T05	403610	5	Tube
14	5.5"	1"	0.035	140	25	0.90	Same	RBUI514T05	400039	5	Tube
14	8"	1"	0.035	203	25	0.90	Same	RBUI814T05	400077	5	Tube
14	12"	1"	0.035	305	25	0.90	Same	RBUI214T05	403627	5	Tube



Pallet Dismantling



The Morse **PALLET RECYCLER** reciprocating saw blade is specifically designed for pallet dismantling.

FEATURES:	BENEFITS:
▼ Available in 3/4" (20mm) width by .035" (0.90mm) thickness	▼ .035" (0.90mm) blades for greater flexibility to get between boards
▼ Round nose design	▼ Helps prevent blade from catching between boards
▼ Straight tooth pitch	▼ Smooth cutting action
▼ Narrow kerf	▼ Fast cutting ▼ Less damage to boards that can be re-used

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
10	8"	3/4"	0.035	200	20	.90	NEW	RB810RR500	401074	500	Box
10	9"	3/4"	0.035	229	20	.90	NEW	RB910RR250	401524	250	Box
10	10"	3/4"	0.035	250	20	.90	NEW	RB1010RR250	401463	250	Box



DIAMONDGRIT™



The Morse **DIAMOND GRIT** reciprocating saw blade is specifically designed for the commercial or residential cutting of ceramics, granites, and stone.

FEATURES:	BENEFITS:
▼ Available in 3/4" (20mm)	▼ Blades provide flexibility
▼ Tempered steel blade body	▼ Durable, straight cuts
▼ Industrial diamond grit edge	▼ Smooth cutting action ▼ Longer life than carbide grit
▼ Narrow kerf	▼ Fast cutting

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
DG	6"	3/4"	Coarse	152	20	Coarse	SAME	RBDG6C	129701	1	Card
DG	9"	3/4"	Coarse	229	20	Coarse	SAME	RBDG9C	129718	1	Card

MORSE Carbide Grit

THE M. K. MORSE COMPANY



The Morse **CARBIDE GRIT** reciprocating saw blade is the best design for cutting materials too thin, hard, or abrasive for conventional carbide tipped or bi-metal blades. Applications such as hardened steel, formed glass, fiberglass, laminates and composites.



FEATURES:	BENEFITS:
▼ Available in 3/4" (20mm) width	▼ Thin blades for greater flexibility
▼ Tempered steel body	▼ Durable, straighter cuts
▼ Carbide grit edge	▼ Won't tear thin materials
	▼ Resistant to heat
▼ Narrow kerf	▼ Fast cutting

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
Grit	4"	3/4"	Coarse	102	20	Coarse	SAME	RTCG4	402750	1	Card
Grit	4"	3/4"	Coarse	102	20	Coarse	SAME	RTCG4T03	403368	3	Card
Grit	4"	3/4"	Coarse	102	20	Coarse	SAME	RTCG4T25	402910	25	Tube
Grit	6"	3/4"	Coarse	152	20	Coarse	SAME	RTCG6	402767	1	Card
Grit	6"	3/4"	Coarse	152	20	Coarse	SAME	RTCG6T03	403375	3	Card
Grit	6"	3/4"	Coarse	152	20	Coarse	SAME	RTCG6T25	402927	25	Tube
Grit	8"	3/4"	Coarse	203	20	Coarse	SAME	RTCG8	402774	1	Card
Grit	8"	3/4"	Coarse	203	20	Coarse	SAME	RTCG8T03	403382	3	Card
Grit	8"	3/4"	Coarse	203	20	Coarse	SAME	RTCG8T25	402934	25	Tube



SPECIALTY



Carbide Tipped



The Morse **CARBIDE TIPPED** reciprocating saw blade is best for abrasive material applications that still require the cutting action and chip clearing capacity of gullets for speed of cut. Applications such as, wood composites (particle board), nail free wood, plastics, non-ferrous metals (aluminum), and fiberglass.



FEATURES:	BENEFITS:
▼ Available in 3/4" (20mm) width by .050" (1.30mm) thickness	▼ Durable, straight cuts
▼ Coarse, ground teeth	▼ Aggressive, fast cutting ▼ Ground for clean, accurate cuts
▼ Carbide grit edge	▼ Won't tear thin materials ▼ Resistant to heat
▼ Narrow kerf	▼ Fast cutting

TPI	Length	Width	Thickness	Length (mm)	Width (mm)	Thickness (mm)	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
3	6"	3/4"	0.050	152	20	1.30	SAME	RTCT603C	403047	1	Card
3	6"	3/4"	0.050	152	20	1.30	SAME	RTCT603T03	403443	3	Card
3	6"	3/4"	0.050	152	20	1.30	SAME	RTCT603T25	403122	25	Tube
3	9"	3/4"	0.050	229	20	1.30	SAME	RTCT903C	403061	1	Card
3	9"	3/4"	0.050	229	20	1.30	SAME	RTCT903T03	403467	3	Card
3	9"	3/4"	0.050	229	20	1.30	SAME	RTCT903T25	403146	25	Tube
3	12"	3/4"	0.050	305	20	1.30	SAME	RTCT1203C	403085	1	Card
3	12"	3/4"	0.050	305	20	1.30	SAME	RTCT1203T03	403481	3	Card
3	12"	3/4"	0.050	305	20	1.30	SAME	RTCT1203T25	403108	25	Tube
6	6"	3/4"	0.050	152	20	1.30	SAME	RTCT606C	403054	1	Card
6	6"	3/4"	0.050	152	20	1.30	SAME	RTCT606T03	403450	3	Card
6	6"	3/4"	0.050	152	20	1.30	SAME	RTCT606T25	403139	25	Tube
6	9"	3/4"	0.050	229	20	1.30	SAME	RTCT906C	403078	1	Card
6	9"	3/4"	0.050	229	20	1.30	SAME	RTCT906T03	403474	3	Card
6	9"	3/4"	0.050	229	20	1.30	SAME	RTCT906T25	403153	25	Tube
6	12"	3/4"	0.050	305	20	1.30	SAME	RTCT1206C	403092	1	Card
6	12"	3/4"	0.050	305	20	1.30	SAME	RTCT1206T03	403498	3	Card
6	12"	3/4"	0.050	305	20	1.30	SAME	RTCT1206T25	403115	25	Tube



Jab Saw

Heavy duty, ergonomic handle to use with either a reciprocating or a hack saw blade. Allows for quick blade changes for various applications.



Description	Previous Model #	New Model#	Part#	Quantity Per Pkg.	Package Type
Jab Saw with 6" (152mm) .050 (1.30mm) 6 TPI Blade	SAME	JSHRBC01	397063	1	Card

Recip Kits & Assortment Pouch

Handy assortments of our most popular sizes in tough high-strength polystyrene boxes. Allows for quick blade changes for various applications.

Description	Previous Model #	New Model#	Part#	Contents
General Purpose Assortment	SAME	RBKITGP01	397483	(2) ea: RB814, RB8501014, RB95006 / (5) RB618 / (6) RB65006 + Storage Tube
Heavy Duty Assortment	SAME	RBKITHD01	397490	(2) ea: RB66210, RBFR66214W, RB96210, RBMC04214 / (4) RBMC64218 + Storage Tube
Demolition Kit	NEW	RBKITDM01	397971	(2) ea: RB66206, RB66210, RB96206, RBR962811 / (3) RBR662811 + Storage Tube
Contractor General Use Kit	SAME	RBKIT01	405003	(7) ea: RB618, RB63506, RB610, RB614, RB61014
Contractor Heavy Duty Kit	SAME	RBKIT02	405010	(5) ea: RB65058, RB65010, RB65014, RB65018 / (10) RB65006
Demolition Kit	SAME	RBKIT03	405027	(5) ea: RB65006, RB65058, RB6501014 / (4) RB66206 / (8) RB66210
Assortment Pouch	SAME	RBP01	403030	(1) ea: RB414, RB418, RB614, RB618, RB65006



Old Morse Model #	New Morse Model#	Length	Width	Thickness	TPI	Lenox	Milwaukee
Master Cobalt WOOD							
Same	RB63506	6"	3/4"	0.035	6	606R	-
Same	RB93506T50	9"	3/4"	0.035	6	-	-
Same	RB123506	12"	3/4"	0.035	6	-	-
RBMC65005	RB65006	6"	3/4"	0.050	6	656R, 656GR	5035
RBMC95005	RB95006	9"	3/4"	0.050	6	956R, 956GR	5036
RBMC125005	RB125006	12"	3/4"	0.050	6	156R, 156GR	5037
Same	RB65058	6"	3/4"	0.050	5/8	-	5031
Same	RB125058	12"	3/4"	0.050	5/8	-	-
Same	RB125023	12"	3/4"	0.050	2/3	-	-
Same	RB65006C	6"	7/16"	0.050	6	676R, 676GR	5041
Master Cobalt HYBRID – Wood/Metal							
Same	RB41014	4"	3/4"	0.035	10/14	-	5090
Same	RB610	6"	3/4"	0.035	10	610R, 610GR	5092
Same	RB61014	6"	3/4"	0.035	10/14	635R	-
Same	RB810	8"	3/4"	0.035	10	810R, 810GR	5175
Same	RB81014	10"	3/4"	0.035	10/14	835R	5193
Same	RB1010	10"	3/4"	0.035	10	-	-
Same	RB1210	12"	3/4"	0.035	10	-	-
Same	RB121014	12"	3/4"	0.035	10/14	-	5194
Same	RB6501014T	6"	3/4"	0.050	10/14	-	-
Same	RB6501014	6"	3/4"	0.050	10/14	650R	5091, 4091
Same	RB8501014	8"	3/4"	0.050	10/14	850R	-
Same	RB12501014ST	12"	3/4"	0.050	10/14	-	5093, 4093
Same	RB850812	8"	3/4"	0.050	8/12	-	-
Same	RB1250812	12"	3/4"	0.050	8/12	-	5094
Same	RB12501014	12"	3/4"	0.050	10/14	110R	-
RBMC95010	RB95010	9"	1"	0.050	10	-	-
RBMC125010	RB125010	12"	1"	0.050	10	-	-
Master Cobalt METAL							
Same	RB414	4"	3/4"	0.035	14	414R, 418GR	5181
Same	RB418	4"	3/4"	0.035	18	418R, 418GR	5183
Same	RB424	4"	3/4"	0.035	24	424R, 424GR	5185
RB614, RBMC614	RB614	6"	3/4"	0.035	14	614R, 614GR	5282, 5182, 4182
RB618, RBMC618	RB618	6"	3/4"	0.035	18	618R, 618GR	5284, 5184, 4184
RB624, RBMC624	RB624	6"	3/4"	0.035	24	624R, 624GR	5286, 5186
RB814, RBMC814	RB814	8"	3/4"	0.035	14	814R	-
RB818, RBMC818	RB818	8"	3/4"	0.035	18	818R, 818GR	-
Same	RB914	9"	3/4"	0.035	14	914R	-
Same	RB918	9"	3/4"	0.035	18	-	-
Same	RB1018	10"	3/4"	0.035	18	-	-
Same	RB1214	12"	3/4"	0.035	14	-	-
RB1218, RBMC1218	RB1218	12"	3/4"	0.035	18	118R	-
Same	RB65014	6"	3/4"	0.050	14	-	-
Same	RB65018	6"	3/4"	0.050	18	-	-
Same	RB3185	3"	5/16"	0.035	18	-	-
RBMC64214	RB64214	6"	1"	0.042	14	6114R	5782
RBMC94214	RB94214	9"	1"	0.042	14	9114R, 9114GR	5787

Old Morse Model #	New Morse Model#	Length	Width	Thickness	TPI	Lenox	Milwaukee
Master Cobalt <i>METAL</i> – Continued							
RBMC124214	RB124214	12"	1"	0.042	14	424R, 424GR	5185
RBMC64218	RB64218	6"	1"	0.042	18	12114R, 12114GR	–
RBMC94218	RB94218	9"	1"	0.042	18	6118R, 6118GR	5784
RBMC124218	RB124218	12"	1"	0.042	18	9118R, 9118GR	5788
RBMC64224	RB64224	6"	1"	0.042	24	12118R, 12118GR	5789
RBMC95014	RB95014	9"	1"	0.050	14	–	–
RBMC125014	RB125014	12"	1"	0.050	14	–	–
RBMC95018	RB95018	9"	1"	0.050	18	–	–
RBMC125018	RB125018	12"	1"	0.050	18	–	–
Same	RB65006C	6"	7/16"	0.050	6	676R, 676GR	5041
Advanced Edge <i>POWER</i>							
RBMC64210	RBWP64210	6"	1"	0.042	10	6110R, 6110GR	5712
RBMC94210	RBWP94210	9"	1"	0.042	10	9110R, 9110GR	5713
RBMC124210	RBWP124210	12"	1"	0.042	10	12110R, 12110GR	–
RBMC64214	RBWP64214	6"	1"	0.042	14	6114R	5782
RBMC94214	RBWP94214	9"	1"	0.042	14	9114R, 9114GR	5787
RBMC124214	RBWP124214	12"	1"	0.042	14	12114R, 12114GR	–
RBMC64218	RBWP64218	6"	1"	0.042	18	6118R, 6118GR	5784
RBMC94218	RBWP94218	9"	1"	0.050	18	9118R, 9118GR	5788
RBMC124218	RBWP124218	12"	1"	0.050	18	12118R, 12118GR	5789
Advanced Edge <i>BOLT</i>							
NEW	RBAE6811	6"	3/4"	0.035	8/11	–	–
NEW	RBAE61115	6"	3/4"	0.035	11/15	–	–
NEW	RBAE61521	6"	3/4"	0.035	15/21	–	–
NEW	RBAE9811	9"	3/4"	0.035	8/11	–	–
NEW	RBAE91115	9"	3/4"	0.035	11/15	–	–
NEW	RBAE91521	9"	3/4"	0.035	15/21	–	–
NEW	RBAE12811	12"	3/4"	0.035	8/11	–	–
NEW	RBAE121115	12"	3/4"	0.035	11/15	–	–
NEW	RBAE121521	12"	3/4"	0.035	15/21	–	–
NEW	RBAE650811	6"	3/4"	0.050	8/11	–	–
NEW	RBAE6501115	6"	3/4"	0.050	11/15	–	–
NEW	RBAE6501521	6"	3/4"	0.050	15/21	–	–
NEW	RBAE950811	9"	3/4"	0.050	8/11	–	–
NEW	RBAE9501115	9"	3/4"	0.050	11/15	–	–
NEW	RBAE9501521	9"	3/4"	0.050	15/21	–	–
NEW	RBAE1250811	12"	3/4"	0.050	8/11	–	–
NEW	RBAE12501115	12"	3/4"	0.050	11/15	–	–
NEW	RBAE12501521	12"	3/4"	0.050	15/21	–	–
Morse <i>HAVOC</i>							
Same	RB66206	6"	7/8"	0.062	6	6066R, 6066GR	5021
Same	RB96206	9"	7/8"	0.062	6	966R, 966GR	5026
Same	RB126206	12"	7/8"	0.062	6	106R, 106GR	5027
Same	RB66210	6"	7/8"	0.062	10	–	4712
Same	RB96210	9"	7/8"	0.062	10	960R	4713
Same	RB126210	12"	7/8"	0.062	10	–	–

Old Morse Model #	New Morse Model#	Length	Width	Thickness	TPI	Lenox	Milwaukee
Morse RENOVATOR							
Same	RB662811	6"	1"	0.062	8/11	6108R	5701
Same	RB962811	9"	1"	0.062	8/11	9108R	5706
Same	RB1262811	12"	1"	0.062	8/11	12108R	5711
Morse SALVAGE							
NEW	RBSA614	6"	3/4"	0.035	14	614R, 614GR	5282, 5182, 4182
NEW	RBSA618	6"	3/4"	0.035	18	618R, 618GR	5284, 5184, 4184
NEW	RBSA814	8"	3/4"	0.035	14	814R	-
NEW	RBSA818	8"	3/4"	0.035	18	818R, 818GR	-
NEW	RBSA1214	12"	3/4"	0.035	14	-	-
NEW	RBSA1218	12"	3/4"	0.035	18	118R	-
NEW	RBSA121014	12"	3/4"	0.035	10/14	-	5194
Morse PIPE BOSS							
NEW	RBPB65014	6"	1"	0.050	14	-	-
NEW	RBPB95014	9"	1"	0.050	14	9514R	-
NEW	RBPB125014	12"	1"	0.050	14	-	-
Morse FIRE + RESCUE							
Same	RBFR66210W	6"	7/8"	0.062	10W	-	-
Same	RBFR96210W	9"	7/8"	0.062	10W	-	-
Same	RBFR126210W	12"	7/8"	0.062	10W	-	-
Same	RBFR66214W	6"	7/8"	0.062	14W	-	-
Same	RBFR96214W	9"	7/8"	0.062	14W	-	-
Same	RBFR126214W	12"	7/8"	0.062	14W	-	-
Morse PLASTER							
RB606P	RB65006P	6"	3/4"	0.050	6V	636RP	5052
Morse PALLET DISMANTLING							
NEW	RB810RR500	8"	3/4"	0.035	10	-	-
NEW	RB910RR250	9"	3/4"	0.035	10	810RP	-
NEW	RB1010RR250	10"	3/4"	0.035	10	1010RP	-
Morse DIAMOND GRIT							
SAME	RBDG6	6"	3/4"			-	1440
SAME	RBDG9	9"	3/4"			800RDG	1450
Morse CARBIDE GRIT							
SAME	RTCG4	4"	3/4"	0.050		-	1400, 1410
SAME	RTCG6	6"	3/4"	0.050		600RG	1420, 1421, 1440
SAME	RTCG8	8"	3/4"	0.050		800RG, 100RG	1430, 1431, 1450
Morse CARBIDE TIPPED							
SAME	RTCT603	6"	3/4"	0.050	3	-	-
SAME	RTCT606	6"	3/4"	0.050	6	565RCT	-
SAME	RTCT903	9"	3/4"	0.050	3	535RCT	-
SAME	RTCT906	9"	3/4"	0.050	6	-	-
SAME	RTCT1203	12"	3/4"	0.050	3	-	-
SAME	RTCT1206	12"	3/4"	0.050	6	-	-

RECIP BLADE SELECTION GUIDE

		WOOD	WOOD/NAIL	METAL 1/4" to 1/2"	METAL 1/8" to 1/4"	METAL 1/8" & under	ABRASIVE MATERIALS
							
Teeth Per Inch	2/3, 3, 6	MC WOOD Carbide Tipped					
	5/8, 6, 10	MC WOOD ▾ HAVOC MC HYBRID ▾ RENOVATOR					
	10, 8/11, 8/12 10/14, 14		MC HYBRID ▾ MC METAL AE BOLT ▾ AE POWER PIPE BOSS ▾ SALVAGE ▾ FIRE + RESCUE				
	10/14, 11/15, 14, 18			MC METAL ▾ AE BOLT ▾ AE POWER			
	15/21, 18, 24				MC METAL ▾ AE BOLT		
	Grit						DIAMOND Grit CARBIDE Grit

WHAT'S THE DIFFERENCE?

TAPERED



The **TAPERED BLADE BODY** is best for Plunge Cutting of Wood Applications.

STRAIGHT



The **STRAIGHT BLADE BODY** is the best choice for Metal Cutting Applications.

PRODUCT CHANGES

We have re-designed our packaging and blade graphics to be more user friendly. The majority of the packaged reciprocating blades will retain the same computer number. Some specifications are being consolidated to reduce duplication and simplify your blade selection.

A MODEL NUMBER SHOWN HERE IS NOW OBSOLETE

THIS MODEL NUMBER WILL GET YOU THE ACTIVE ITEM

TPI	Length	Width	Thickness	Length (in)	Width (in)	Thickness (in)	Previous Model #	New Model #	Parts	Quantity Per Pkg.	Package Type
6	6"	3/4"	0.035	152	20	0.90	Same	RB63506T05	400190	5	Card
6	6"	3/4"	0.035	152	20	0.90	Same	RB63506T15	398404	15	Tube
6	6"	3/4"	0.035	152	20	0.90	Same	RB63506T25	398718	25	Tube
6	6"	3/4"	0.035	152	20	0.90	Same	RB63506T50	400183	50	Tube
6	6"	3/4"	0.050	152	20	1.30	Same	RB65006C2	397339	2	Card
6	6"	7/16"	0.050	152	11	1.30	Same	RB65006CT05	399517	5	Card
6	6"	7/16"	0.050	152	11	1.30	Same	RB65006CT50	399500	50	Tube
6	6"	3/4"	0.050	152	20	1.30	RBMC65005T05	RB65006T05	402040	5	Card
6	6"	7/16"	0.050	152	11	1.30	RBMC65005T25	RB65006T25	398732	25	Tube
6	6"	3/4"	0.050	152	20	1.30	Same	RB65006T50	402057	50	Tube
6	9"	3/4"	0.035	229	20	0.90	Same	RB93506T05	400176	5	Card
6	9"	3/4"	0.035	229	20	0.90	Same	RB93506T50	400169	50	Tube
6	9"	3/4"	0.050	229	20	1.30	Same	RB95006C2	397391	2	Card

BLADES SOLD IN UNITS OF 1 THROUGH 5 WILL NO LONGER BE IN TUBES

THEY WILL NOW BE SOLD ON CARDS



Warranty

The M. K. Morse Company warrants each new product manufactured and sold by it or one of its authorized distributors only against defects in workmanship and/or materials under normal service, proper installation and use. THIS WARRANTY IS LIMITED TO REPAIR OR REPLACEMENT OF VERIFIED DEFECTIVE PRODUCTS AND EXCLUDES ANY AND ALL IMPLIED WARRANTY OF MERCHANTABILITY AND ALL RISK AND LIABILITY WHATSOEVER RESULTING FROM ANY USE OF SAID PRODUCTS, INCLUDING INCIDENTAL AND CONSEQUENTIAL DAMAGES. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE THEREOF. The provisions of this warranty and limitation of liability shall not be modified in any respect except by written document signed by an officer of The M. K. Morse Company.

Important

CUTTING TOOLS CAN SHATTER AND/OR BREAK UNDER IMPROPER OR SEVERE USE. WEAR SAFETY EQUIPMENT, AND PARTICULARLY EYE AND HEARING PROTECTION, AT ALL TIMES IN THE VICINITY OF THEIR USE. ALWAYS FOLLOW POWER TOOL MANUFACTURER'S RECOMMENDATIONS.



PHONE: (330) 453-8187
HOTLINE: (800) 733-3377
FAX: (330) 453-1111
FAX HOTLINE: (800) 729-1112
EMAIL: mkmorse@mkmorse.com

WEBSITES

mkmorse.com
bladewizard.com

MAILING ADDRESS

P. O. BOX 8677
Canton, Ohio 44711 USA

SHIPPING ADDRESS

1101 – 11th Street, S.E.
Canton, Ohio 44707 USA

